

ezcap159 USB 2.0 Video Capture

Quick Start Guide

This ezcap159 USB 2.0 Video Capture device is intended for use on both Windows OS and Mac OS X. The software includes Honestech video capture and editing software VHS to DVD 5.0 SE for Windows OS. Mac OS X will require you to capture video by OBS software.

Please familiarize yourself with the OVERVIEW section, then go to the appropriate WINDOWS or MAC install guide before making any connections. Please follow each step carefully.

Important: If you have any drivers and video capture edit software of other similar device on your computer this must be completely uninstalled that came with that product.

BOX CONTENTS

ezcap159 USB 2.0 Video Capture, Quick Start Guide


DOWNLOAD LINK

Driver for Windows and Mac: www.ezcap.com/uploads/download/ezcap159driver.zip

VHS to DVD 5.0 for Windows: www.ezcap.com/uploads/download/vhstodvd50se.zip

OBS for Mac: <https://obsproject.com/download>

OVERVIEW



This product has universal connections for optional use of different devices, you will not use all the inputs.

You may require additional RCA / CVBS or S Video cable to connect from your device to the dongle.

To capture audio, connect the left and right composite RCA / Phono (red and white) to the corresponding colour left and right audio outputs of your playback device or camera. Some devices may only have one (white) audio output.

If you are using the round S-Video (black) input, you cannot use composite connections at the same time.

USB DONGLE – This connects to an available USB 2.0 high speed port on your computer

AUDIO INPUTS (red and white) – Use a standard CVBS / RCA cable to connect these left and right audio inputs to the left and right audio outputs of your playback device. Be sure to match the red to red (right channel), white to white (left channel).

COMPOSITE 'VIDEO' (yellow) – Use a standard composite CVBS / RCA video cable to connect this

input to the composite video output of your playback device.

(Or)

S-VIDEO INPUT (black) – Use a standard S-Video cable to connect to the S-Video output of your playback device.

WINDOWS

1, Install the driver

Please download the driver firstly: www.ezcap.com/uploads/download/ezcap159driver.zip, and open the folder of **drivers for win**, then double click **ezcap USB video Setup _20191121_14-49** to start to install drivers. Follow the **Next** prompts then click **Finish** to end the driver installation.

Connect the ezcap159 USB 2.0 Video Capture device to a free USB 2.0 port on your computer. Select the option "Install the software automatically" and click "Next" . When "Completing the Found New Hardware Wizard" , window appears click the "Finish" button to complete the driver installation.

2, Install the software

Please download the VHS to DVD software for Windows:

www.ezcap.com/uploads/download/vhstodvd50se.zip, and double click **Setup.exe** to start to install VHS to DVD software.

When asked to enter a Product Key, enter the code which can be found the software sticker on the manual.

3, Using the Software

1, Open **honestech VHS to DVD 5.0 SE**. You can find the software by double clicking the shortcut icon on your computer's Desktop.

2, Capture Settings: Click the drop-down box next to **Video Device** and select **ezcap USB video capture** from the list.

3, Click **Settings** next to **Video Device: ezcap USB video device** and select **Composite Video** or **S-Video** from the list according to your device connection.

4, Click the drop-down box next to **Audio Device**, and select Line (ezcap USB audio) from the list.

5, Click the drop-down box next to **TV/Video Standard**, and choose – **PAL** (for EU) or **NTSC** (for US, Japan).

6, Click the drop-down box next to **Recording Resolution** and choose **720 X 576** or other preference.

7, Click **Change** next to the **Save Location:** and select where you want to save your captured video to.

8, Click the drop-down box next to **Capture Format**, and choose **MPEG-2 file (25GB)** or other preference.

9, Click the drop-down box next to **Quality**, and choose **Best** or other preference

Click **OK** in the bottom of window to finish the capture settings.

10, Play your video source (connected to Video Capture device), and click the red **Record** button to start recording, click the **Stop** button to finish recording. Click on the **Camera** icon to take images.

11, Click **EDIT** tab in the screen. The captured videos will be listed in the right pane of the main window. Here you can choose the video and various effects to edit your video according to your needs.

12, Click the **BURN** tab, here you can **Create the chapter points, select theme ...** to burn your DVD.

Click the **Settings** icon to set the disc according to requirements.

13, To learn more about the software's features, click on the? in the upper right corner and select **User**

Guide.

MAC

1, Install hardware installation

Please download the driver firstly: www.ezcap.com/uploads/download/ezcap159driver.zip, and open the folder of **drivers for mac**, then double click **EB1A_5126_v22.308.14_ezcap.pkg** to start to install drivers. Follow the **Next** prompts then click **Finish** to end the driver installation.

Connect ezcap159 USB 2.0 Video Capture to a USB 2.0 port on your computer, the hardware should be auto installed to your computer.

Click on the **Apple LOGO – About this Mac – More info – Hardware – USB**, **ezcap USB audio** should be seen in the list to indicate the driver has installed correctly.

2, OBS for Mac

Please download OBS mac version: <https://obsproject.com/download>, and install it on your Mac.

1, Click on the **Apple LOGO – System Preferences – Sound – Select a device for sound input**, then select **ezcap USB audio**

2, Open **OBS: Applications – OBS**

3, Click icon + under **Sources** window, and select **Video Capture Device**. Click **OK** in the new pop-up window. Then please click **Device** and select **ezcap USB video device**.

4, You can click **Preset** to select one resolution, then click **OK**.

5, Click on the video screen, and then you can adjust the size of the video screen in the software window.

6, Please click **Setting** icon of **Audio Mixer** panel, in the **Mic/Aux** column, click **Audio Monitoring** and

select **Monitor and Output**.

7, Click **Settings** of OBS panel, and click **Video**. Then you can set base resolution, output resolution and FPS values according to your needs.

8, After setting, click **Ok**, then simply click **Start Recording** to start recording video, and click **Stop Recording** to stop recording.

9, **OBS** automatically saves your captured videos as **.mp4** files.

10, You can click the **help** at the top of the OBS, and learn more about OBS.

ezcap159 USB 2.0 视频采集棒

使用说明书

ezcap159 USB 2.0 视频采集棒适用于 Windows 操作系统和 Mac OS X。该软件包括适用于 Windows 操作系统的 Honestech 视频采集和编辑软件 VHS to DVD 5.0 SE。Mac OS X 将要求您使用 OBS 捕捉视频。

请熟悉概述部分，然后在进行任何连接之前先参看相应的 WINDOWS 或 MAC 安装指南。请仔细遵循每一步。

重要提示：如果您的电脑上有安装任何其它同类设备的驱动或视频采集编辑软件，则建议先完全卸载这些软件。

包装内容

ezcap 159 USB 2.0 视频采集棒，使用说明书


下载链接

适用于 Windows 和 Mac 的驱动程序：www.ezcap.com.cn/uploads/download/ezcap159driver.zip

适用于 Windows 的 VHS to DVD 5.0 SE：www.ezcap.com.cn/uploads/download/vhstodvd50se.zip

适用于 Mac 的 OBS：<https://obsproject.com/download>

概述



本产品具有通用连接，可供选择使用不同的设备，您不需要使用所有输入方式。

您可能需要额外的莲花头 RCA 复合视频连接线或 S-Video 视频连接线才能将您的设备连接到视频设备。

要捕获音频，请将左右声道莲花头插孔（红色和白色）连接到播放设备的相应颜色左右音频输出。某些设备可能只有一个（白色）音频输出。

如果您使用 S-Video（黑色）输入，则不能同时使用复合视频（黄色）连接。

USB 接头 – 连接到计算机上可用的 USB 端口。

音频输入（红色和白色） – 使用标准 RCA 莲花头连接线将左右音频输入连接到播放设备的左右音频输出。一定要匹配红色到红色（右通道），白色到白色（左通道）。

复合视频 CVBS 输入（黄色） – 使用标准复合视频 RCA 莲花头连接线将此输入连接到播放设备的复合视频输出。

S-VIDEO 输入（黑色） – 使用标准 S-Video 连接线连接到播放设备的 S-Video 输出。

Windows 系统

1、安装驱动

在将 ezcap159 采集棒连接到您的计算机之前，请先下载驱动程序：

www.ezcap.com.cn/uploads/download/ezcap159driver.zip, 打开 **drivers for win** 文件夹, 并双击 **ezcap USB video Setup _20191121_14-49** 开始安装驱动。点击**下一步**等提示并点击**完成**结束驱动安装。

将 ezcap159 采集棒连接到计算机上的空闲 USB 2.0 端口。并根据弹出的提示单击**下一步**等。当**完成找到新硬件向导**出现窗口时, 单击**完成**按钮完成设备驱动程序安装。

2、安装软件

请下载 VHS to DVD 软件: www.ezcap.com.cn/uploads/download/vhstodvd50se.zip, 然后打开并双击 **Setup.exe** 开始安装 VHS to DVD 软件。

当要求输入**产品密钥**时, 输入 说明书上粘贴的软件贴纸上的序列号。

3、使用软件

- 1、打开 **Honestech VHS to DVD 5.0 SE**。您可以通过双击计算机桌面上的快捷方式图标找到该软件。
 - 2、采集设置: 点击 **Video Device** 旁边的下拉框, 从列表中选择 **ezcap USB video device**
 - 3、单击 **Video Device** 旁边的**设置: ezcap USB video device**, 然后根据您的设备连接从列表中选择 **Composite Video** 或 **S-Video**。
 - 4、点击 **Audio Device** 旁边的下拉框, 从列表中选择**线路 (ezcap USB audio)**。
 - 5、点击 **TV/Video Standard** 旁边的下拉框, 选择 - **PAL**。
 - 6、单击 **Recording Resolution** 旁边的下拉框, 然后选择 **720 X 576** 或其他选项。
 - 7, 单击 **Save Location** 旁边的 **Change**: 并选择要将捕获的视频保存位置。
 - 8、单击 **Capture Format** 旁边的下拉框, 然后选择 **MPEG-2 file (25GB)** 或其他选项。
 - 9、点击 **Quality** 旁边的下拉框, 选择 **Best** 或其他。
- 单击窗口底部的 **OK** 以完成捕获设置。

10、播放您的视频源（连接到视频采集设备），点击红色 **Record** 按钮开始录制，点击 **Stop** 按钮完成录制。单击 **Camera** 图标拍摄图像。

11、点击画面中的 **EDIT** 选项卡。捕获的视频将列在主窗口的右窗格中。在这里，您可以根据需要选择视频和各种效果来编辑视频。

12、点击 **BURN** 选项卡，在这里您可以创建章节节点，选择主题.....来刻录您的 DVD。单击 **Settings** 图标以根据要求设置光盘。

13、要了解软件的更多功能，请点击 **?** 并选择用户指南。

MAC 系统

1、安装硬件

请先下载驱动程序：www.ezcap.com.cn/uploads/download/ezcap159driver.zip，打开 **drivers for mac** 文件夹，并双击 **EB1A_5126_v22.308.14_ezcap.pkg** 开始安装驱动。点击**继续**等提示并点击**安装成功**结束驱动安装。

将 ezcap159 视频采集棒 连接到您计算机上的 USB 2.0 端口，硬件应该会自动安装到您的计算机上。

点击**苹果标志 - 关于本机 - 更多信息 - 硬件 - USB**，列表中应出现 **ezcap USB audio**，表示驱动已正确安装。

2、使用 OBS

请下载 OBS MAC 版本：<https://obsproject.com/download>，并安装到您的 Mac 电脑。

1、点击**苹果标志 - 系统偏好设置 - 声音 - 输入 - 选择声音输入设备**，然后选择 **ezcap USB audio**

2、开启 OBS。您可以通过**应用程序**找到该软件- OBS

3、点击**来源**窗口下的+图标，选择**视频采集设备**。在新的弹出窗口中单击**确定**。然后请点击**设备**并选择 **ezcap USB video device**

4、您可以点击**预设**选择一种分辨率，然后点击**确定**。

- 5、点击视频画面，然后你可以在软件窗口中调整视频画面的大小。
- 6、请单击**混音器**界面左下角的设置图标，在新的弹出窗口中，在**麦克风/Aux** 这一栏，单击**音频监听**，然后选择**监听并输出**
- 7、点击 OBS 面板的**设置**，点击**视频**。然后您可以根据需要设置**基础分辨率**、**输出分辨率**和 **FPS 值**。
- 8、设置好后点击**确定**，然后点击**开始录制**开始录制视频，点击**停止录制**停止录制视频。
- 9、OBS 自动将您录制的视频保存为.mp4 文件。
- 10、您可以点击 OBS 顶部的**帮助**，了解更多关于 OBS 的信息。

VER: M159230201